International Journal of Fracture

CONTENTS OF VOLUME 59 (1993)

Vol. 59, No. 1, 1 January 1993

Stress intensity factors for a crack encircled by an annular inclusion in an infinite plane	Y.L. XU and F. DELALE	1
The interaction between the wellbore and pressure-induced fractures	C. ATKINSON and M. THIERCELIN	23
Effect of microcrack array on stress intensity factor of main crack	S. WU and A. CHUDNOVSKY	41
An analysis of the brittle–ductile transition in dynamic crack growth	V. TVERGAARD and A. NEEDLEMAN	53
Statistical analysis of failure of unidirectionally fibre-reinforced composites with local load-sharing	L.B. DENG and F.Q. FAN	69
Singular behaviour near the tip of a sharp V-notch in a power law hardening material	L. XIA and T.-C. WANG	83

Vol. 59, No. 2, 15 January 1993

Characterization of creep-fatigue crack growth behavior under trapezoidal waveshape using C_t-parameter	K.B. YOON, A. SAXENA and P.K. LIAW	95
Effect of geometry on compressive failure of notched composites	M.P.F. SUTCLIFFE and N.A. FLECK	115
Crack tip displacement factor-D: an application to two-dimensional linear elastic fracture mechanics	J. ZHANG and A. GHORBANPOOR	133
A new look at energy release rates for quasi-statically propagating cracks in inelastic materials	R. PEEK and X. DENG	151
A generalised solution for the crack surface displacement of mode I two-dimensional part-elliptical crack	G.S. WANG	161
Non-steady, periodic behavior in the dynamic fracture of PMMA	P.D. WASHABAUGH and W.G. KNAUSS	189

Vol. 59, No. 3, 1 February 1993

Effect of cyclic overload on the crack growth behavior during hold period at elevated temperature	K.B. YOON, A. SAXENA and D.L. McDOWELL	199
The load separation and η_{pl} development in precracked specimen test records	M.H. SHAROBEAM and J.D. LANDES	213
Numerical simulation with experimental verification of the fracture behavior in granite under confining pressures based on the tension-softening model	T. HASHIDA, H. OGHIKUBO, H. TAKAHASHI and T. SHOJI	227
Quasi-static extension of cohesive crack described by the energy partition technique	B. AMINI and M.P. WNUK	245
Finite-element solutions of crack growth in incompressible elastic–plastic solids with various yielding extents and loadings: detailed comparisons with analytical solutions	N. LIU and W.J. DRUGAN	265

Vol. 59, No. 4, 15 February 1993

Three co-planar moving Griffith cracks in an infinite elastic medium	A.N. DAS	291
Stress-intensity factors of *r*-cracks in fiber-reinforced composites under thermal and mechanical loading	W.H. MÜLLER and S. SCHMAUDER	307
Fracture behavior of shear key structures with a softening process zone	Y. KANEKO and V.C. LI	345
Nonsingular toughening and *R*-curve behavior in nominally pure alumina	G.B. MAY, K.E. PERRY, J.L. SHULL, J.S. EPSTEIN, H. OKADA, C. SCOTT and S.N. ATLURI	361
The geometry effects for stress intensity factor of sandwich specimen for measuring interfacial fracture toughness	M.Y. HE, C.F. SHIH and A.G. EVANS	377
Author index		387